

Tech Specs

Vehicle Name

Jeep Renegade

Body Style

Sport Utility

Drivetrain

Four Wheel Drive

EPA Classification

Small SUV 4WD

Passenger Capacity

5 5.0 min 5.0 max

Passenger Volume

100.1 ft³ 100.1 min 100.1 max

Base Curb Weight

3327 lbs 3327.0 min 3327.0 max

EnerGuide Estimate - City

11.2 L/100 km 11.2 min 11.2 max

EnerGuide Estimate - Hwy

8.2 L/100 km 8.2 min 8.2 max

Dead Weight Hitch - Max Trailer Wt.

2000 lbs 2000.0 min 2000.0 max

Dead Weight Hitch - Max Tongue Wt.

200 lbs 200.0 min 200.0 max

Wt Distributing Hitch - Max Trailer Wt.

2000 lbs 2000.0 min 2000.0 max

Wt Distributing Hitch - Max Tongue Wt.

200 lbs 200.0 min 200.0 max

Maximum Trailering Capacity

2000 2000.0 min 2000.0 max

Engine Order Code

ED6

Engine Type

Regular Unleaded I-4

Displacement

2.4 L/144

Fuel System

Sequential MPI

SAE Net Horsepower @ RPM

180 @ 6400

SAE Net Torque @ RPM

175 @ 3900

Trans Order Code

DFH

Trans Type

9 9.0 min 9.0 max

Trans Description Cont.

Automatic w/OD

First Gear Ratio (:1)

4.70 4.7 min 4.7 max

Second Gear Ratio (:1)

2.84 2.84 min 2.84 max

Third Gear Ratio (:1)

1.91 1.91 min 1.91 max

Fourth Gear Ratio (:1)

1.38 1.38 min 1.38 max

Fifth Gear Ratio (:1)

1.00 1.0 min 1.0 max
Sixth Gear Ratio (:1)
0.81 0.81 min 0.81 max
Reverse Ratio (:1)
3.81 3.81 min 3.81 max
Final Drive Axle Ratio (:1)
3.73 3.73 min 3.73 max
Cold Cranking Amps @ 0° F (Primary)
600 600.0 min 600.0 max
Maximum Alternator Capacity (amps)
160 160.0 min 160.0 max
Suspension Type - Front
Strut
Suspension Type - Rear
Multi-Link
Suspension Type - Front (Cont.)
Strut
Suspension Type - Rear (Cont.)
Multi-Link
Front Tire Order Code
TWL
Rear Tire Order Code
TWL
Spare Tire Order Code
TBS, TBW
Front Tire Size
P225/55TR18
Rear Tire Size
P225/55TR18
Spare Tire Size
Full-Size
Front Wheel Size
18 X 7 in
Rear Wheel Size
18 X 7 in
Spare Wheel Size
Full-Size in
Front Wheel Material
Aluminum
Rear Wheel Material
Aluminum
Spare Wheel Material
Aluminum, Steel
Steering Type
Rack-Pinion
Turning Diameter - Curb to Curb
36.3 ft 36.3 min 36.3 max
Brake Type
4-Wheel Disc
Brake ABS System
4-Wheel
Disc - Front (Yes or)
Yes
Disc - Rear (Yes or)
Yes
Front Brake Rotor Diam x Thickness
12 in 12.0 min 12.0 max

Rear Brake Rotor Diam x Thickness

10.9 in 10.9 min 10.9 max

Fuel Tank Capacity, Approx

48 L 48.0 min 48.0 max

Front Head Room

39.7, 41.1 in 39.7 min 41.1 max

Front Leg Room

41.2 in 41.2 min 41.2 max

Front Shoulder Room

55.9 in 55.9 min 55.9 max

Front Hip Room

53.1 in 53.1 min 53.1 max

Second Head Room

40.5 in 40.5 min 40.5 max

Second Leg Room

35.1 in 35.1 min 35.1 max

Second Shoulder Room

55.1 in 55.1 min 55.1 max

Second Hip Room

51.9 in 51.9 min 51.9 max

Wheelbase

101.2 in 101.2 min 101.2 max

Length, Overall

166.6 in 166.6 min 166.6 max

Width, Max w/o mirrors

74.2 in 74.2 min 74.2 max

Height, Overall

66.5 in 66.5 min 66.5 max

Track Width, Front

60.6 in 60.6 min 60.6 max

Track Width, Rear

60.6 in 60.6 min 60.6 max

Min Ground Clearance

7.9 in 7.9 min 7.9 max

Cargo Area Width @ Beltline

40.1 in 40.1 min 40.1 max

Cargo Box Width @ Wheelhousings

37.6 in 37.6 min 37.6 max

Liftover Height

29.8 in 29.8 min 29.8 max

Cargo Volume to Seat 1

50.8 ft³ 50.8 min 50.8 max

Cargo Volume to Seat 2

18.5 ft³ 18.5 min 18.5 max

Cargo Volume to Seat 3

18.5 ft³ 18.5 min 18.5 max

Seventh Gear Ratio (:1)

0.70 0.7 min 0.7 max

Eighth Gear Ratio (:1)

0.58 0.58 min 0.58 max

G/km Of CO2 Emissions

230 230.0 min 230.0 max

Model Group

Renegade

Vehicle Segment

Subcompact Sport Utility

Vehicle Type

Sport Utility

Engine Displacement Units

2.4, 2.4 2.4 min 2.4 max

Engine Camshaft

SOHC, SOHC

Engine Block Type

aluminum, aluminum

Engine Cylinder Count

4, 4 4.0 min 4.0 max

Engine Valve Count

4, 4 4.0 min 4.0 max

Country of Origin

Italy AUTOBIANCHI